

# **ADVANCING GENAI** WITH CPU OPTIMIZATION

Practical approaches for government and industry

GenAl stands as a central focus in today's technological landscape as the prevalence and value of large language models (LLMs) increases alongside improved abilities to generate text, summarize documents, translate languages, answer prompts, support chatbots, and perform many other tasks.

But commercial organizations that deployed LLMs on graphics processing units (GPUs) as a one-size-fits-all approach have seen GPU costs explode while availability decreases.

Deloitte. (2023). Al agents and autonomous Al. Deloitte Insights. Retrieved from https:// www2.deloitte.com/us/en/insights/focus/tech-trends/2025/tech-trends-ai-agents-andautonomous-ai.html In response, some organizations—specifically the U.S. government—began exploring more compact small language models\* (SLMs), which train on smaller, highly curated data sets¹ to solve repeatable, specific problems.

As GenAl- and language model (LM)- powered tools advance industries, Deloitte offers innovative, cost-efficient solutions to help organizations boost widespread adoption while avoiding the high costs associated with procurement, implementation, maintenance, and training of GPUs.

<sup>\*</sup> We define a small language model as any Al language model, either text-based or multimodal, that contains roughly 10 billion parameters or less. A large language model has more than 10 billion parameters.



# **BRIDGING THE GAP**

As Al grows more complex, demand is rising for SLMs that serve small teams of users and run efficiently on edge devices and compact hardware. These SLMs are ideal for on-device Al, where space and resources are limited but data security remains a top priority.

Organizations that want to keep their data on their internal network or Virtual Private Clouds (VPCs) can run Al on central processing unit (CPU)-based virtual servers. As a widely available alternative to GPUs, CPUs can help reduce hardware demands and computational requirements while maintaining security and delivering a cost savings of about 55%.


By optimizing LMs to run efficiently on existing CPU-based infrastructure, organizations can leverage their current hardware, minimize additional expenditures, and scale GenAl rapidly.



BOOSTING GENAI ACCESSIBILITY: THE POWER OF LOCAL CPU PROCESSING

Running SLMs on local CPUs offers a compelling alternative to deploying LLMs over the internet because it allows organizations to scale GenAl solutions efficiently while keeping sensitive data in secure VPC environments.

Modern CPUs, including Intel's Xeon processors, are especially well-suited for GenAl inference for three main reasons:





### **On-chip acceleration & efficiency:**

Newer Xeon processors (starting with 4th Gen) feature Advanced Matrix Extensions (AMX), which significantly boost AI workload performance and efficiency by accelerating math operations directly on the CPU. This hardware-based acceleration delivers better performance-per-watt and reduces power consumption compared to GPUs.



### Simplified system design:

Using Xeon CPUs for inference eliminates the need for separate GPUs and simplifies system architecture. Xeon processors handle both AI tasks and overall system management, leveraging their large caches and fast memory access, and supporting the wide range of software already built for x86.



#### **Reduced cost:**

Discrete GPUs are often more expensive and power-hungry than needed for most AI inference tasks. Xeon CPUs provide sufficient performance for many applications, resulting in lower hardware costs and total cost of ownership (TCO).

Advances in model optimization—such as compression and running workloads on an optimized model server—now allow SLMs and compressed LLMs to run effectively on CPU-based architecture. This makes GenAl solutions more accessible, affordable, and scalable across industries.

As GenAl adoption accelerates, leveraging widely accessible CPUs empowers private and public sector organizations to adapt quickly to evolving needs. By championing this shift, Intel helps meet the demand for more accessible Al solutions and positions itself as a key driver in the future of GenAl innovation.

#### **PHASE 1 OVERVIEW:**

At the end of 2024, Deloitte began working with a state Medicaid department that used a GenAl chatbot for welfare policy assistance, but extremely high costs and limited access to GPU resources made the GenAl setup unsustainable. Together with Intel, Deloitte tested whether a CPU-based SLM would provide a more cost-effective alternative to the GPU based LLM solution.

Deloitte selected the AWS cloud environment for this research because it offers a wide range of cloud instance options equipped with processors from Intel and other vendors. This made it easy to compare performance and optimize workload distribution across CPU-intensive computational tasks and GPU-accelerated machine learning, AI, and high-performance applications.

AWS is also popular with government and public sector organizations because of its robust compliance certifications, including FedRAMP and Impact Level 5 (IL5), which ensure it meets stringent security requirements for handling sensitive data.

In AWS, our team hosted a standard EC2 instance that contained preliminary benchmarking scripts. When deployed, these scripts would call a separate GPU-based instance and CPU-based instance to compare model performance, which allowed the team to conduct benchmarking runs all within the same AWS environment.

For models, Deloitte used Mistral-7B as the small language model and Mixtral 8x7B as the large language model, both from Mistral.Al. These models often earn top global benchmark scores and, because they are open source, Deloitte and Intel could reduce costs while easily fine-tuning and customizing them for the project.

With the testing components in place, Deloitte and Intel constructed a high-level process flow for Phase 1:

#### MODEL SELECTION

- Utilized Intel OpenVINO GenAl Library
- 5 models evaluated for inclusion in Phase 1
- Evaluation included local benchmarking on CPU with no model server

#### COMPRESSION MODELS TESTING

- Utilized Intel OpenVINO GenAl Library
- 2 models of F16 type selected: Mixtral-8x7b Instruct & Mistral-7b instruct
- 2 compressions: Int4 & Int8

# BENCHMARKING IN MODEL SERVER

- Utilized Intel OpenVINO Model Server
- 2 Benchmarking scripts were run:
  - VLLM Script
  - DeloitteBenchmarkingScript

Figure 1: High-level process flow for phase 1 testing

#### PRELIMINARY BENCHMARKING OF PHASE 1

Preliminary benchmarking involved prompting with a single basic question such as, "What is deep learning?" For GPUs, Deloitte used HuggingFace inference, and for CPUs the team used Intel's open-source model server, OpenVINO, to infer SLMs. Because OpenVINO optimizes deep learning models, LLMs and SLMs can run efficiently on Intel CPUs—reducing costs and expanding Al accessibility.

As seen in Figure 2 (below), initial benchmarking revealed that in addition to the SLM (Mistral-7b), the LLM (Mixtral-8x7b) successfully ran on a CPU using the OpenVINO model server. The speed/performance metrics on the SLM were acceptable and comparable to the LLM running on the GPU and were almost identically acceptable up to 128 users, with only a few seconds difference in user wait time. The increasing time values as concurrent users are added also show that the CPU-based configuration scales much more efficiently than the GPU configuration.




Figure 2: Phase 1 Benchmarking Metrics

When comparing cost of a G5.12x large GPU instance to the M7i-12xlarge CPU instance, organizations that opt for CPU instances can yield **56.8% cost-savings**, which could be achieved with minimal or no increase in response time or user wait time.



#### **PHASE 2 OVERVIEW:**

After Phase 1 proved that SLMs could run well on CPU architecture and performed comparably to a GPUbased Al solution, **Deloitte explored running even smaller, "compressed" language models on CPUs.** 

Deloitte and Intel collaborated with the startup Multiverse, which offers a tool called CompactifAI. This tool uses quantum-inspired tensor-based compression to decrease the size of a language model whithout major accuracy degradation. While Phase 1 focused on proving SLMs could work on CPUs, Phase 2 aimed to make CPU-based AI even faster and more practical by reducing inference time.

The AWS cloud environment, testing process, and state government use case remained the same in Phase 2. The major difference in this phase was the model: Deloitte and Intel used Meta's Llama 3.1-8B, which Multiverse had successfully compressed. Phase 2 tested and compared compressed and uncompressed (original) versions of this model, which is also open-source.

#### PRELIMINARY PHASE 2 BENCHMARKING:

Deloitte planned to continue using the HuggingFace model server for GPUs and OpenVINO for CPUs to run the LLMs and SLMs. However, when testing the compressed model revealed challenges with HuggingFace on GPUs, they switched to the vLLM model server for GPU inference. Phase 2 benchmarking showed extremely impressive results for Multiverse's models: the compressed model on CPU was faster and more efficient than the uncompressed model, and it also handled more users with less increase in response time. Similar to Phase 1, the smaller model configuration on Xeon CPU showcases the ability to scale more efficiently as the number of concurrent users grow, unlike the GPU configuration which sees exponentially increasing latency.




Figure 3: Phase 2 benchmarking metrics: Uncompressed model vs. compressed model on CPU




Figure 4: Phase 2 benchmarking results: CPU vs. GPU with compressed model





Figure 5: Phase 2 speed deep-dive benchmarking results: Compressed model on CPU vs GPU





#### **MULTI-AGENTIC USE CASE**

Building on results from Phases 1 and 2, Deloitte developed a real-world application for SLM and compression technology. The team chose a complex, multi-agentic use case for a federal government agency, which involved extracting entities from text documents and classifying which ones to mask based on the U.S. government's sensitivity hierarchy. While conventional LLMs can handle the receipt and reasoning of a user's prompt, SLMs or compressed models can efficiently tackle simpler tasks such as generating SQL commands. Because these compressed models are open source, Deloitte could develop the solution in a closed, more secure environment that met the client's strict data security needs.

In the example use case architecture below, an Intel CPU instance on AWS runs a multi-agentic entity extraction application. This tool uses small or compressed language models to identify sensitive entities in a text document, cross-reference them against a list of sensitive words, and redact them if necessary. The orchestrator model, which instructs the smaller models, can either be a conventional LLM or SLM depending on response time requirements.




Figure 6: Multi-agentic use case example architecture

#### **Application Flow:**

- 1. User uploads a document
- 2. The Streamlit application deployed on EC2 pulls the containerized code
- 3. Main code containerized and pushed to ECR
- 4. Containerized code consists of multi agents that are tasked with sequential steps in document masking and summarization
- 5. Any results generated are saved to an S3 bucket for record keeping
- 6. Front-end allows user to download results

### **Language Models:**

- A. Foundation models invoked via Bedrock API
- B. Open-Source Compressed Llama models hosted on CPU EC2 instance (m7i.12xlarge) via OpenVINO model Server

This successful use case demonstrates that smaller, compressed models can handle simpler tasks within a multi-agent system that's been devel-oped and deployed within the client's own environment. This approach makes it possible to support more complex workflows without substan-tially increasing inference cost or response time.

#### **DELOITTE'S CHART/DECISION MATRIX:**

Through Phases 1 and 2, we found many use cases previously thought suitable only for GPUs are actually suitable for CPU by using either SLMs, compressed models, or both models in tandem with a conventional LLM. The chart below shows how Deloitte determined hardware requirements (CPU or GPU) and model selection based on use case complexity and existing infrastructure. Highlighted in green is the complexity level achieved in our multi-agentic use case outlined in the previous section, where our sanitation agent uses text generation to rewrite over redacted entities.

Use Case Category	Use Case Example	Multi Modal?	Latency Requirement	Sustainable Model(s)	Hardware w/o Compression	Hardware with Compression	Concurrent Users
Text classification	Sentiment analysis of social media posts	No	Low (<30s)	SLM, LLM (if high accuracy needed)	CPU	CPU	200
Image classification	Identify objects in an image	No	Low (<30s)	SLM, LLM (for complex scenes)	CPU or GPU	CPU	200
Question answering	Answer factual questions based on a knowledge base	No	Low (<30s)	SLM, LLM (for complex or open-ended questions)	CPU or GPU	СРИ	200
Machine translation	Translate news articles from English to Spanish	No	Moderate (<30-100s)	SLM, LLM (for higher fluency)	CPU or GPU	СРИ	100
Summari- zation	Summarize long documents	No	Moderate (<30-100s)	SLM, LLM (for more nuanced summaries)	CPU or GPU	CPU	100
Object detection	Locate and identify multiple objects in an image	No	Moderate (<30-100s)	SLM, LLM (for higher accuracy)	CPU or GPU	CPU	100
Text generation & text to SQL	Knowledge mining and Data Analytics	No	Moderate (30-100s)	SLM, LLM (Multi-Agentic)	GPU	CPU	50-100
Visual question answering	Answer questions about the content of an image	Yes	Moderate (30-100s)	LLM Multimodal	GPU	CPU?	50?
Document question answering	Extract information from a document and answer questions	Yes	Moderate (30-100s)	LLM Multimodal	GPU	CPU?	50?
Video-Text- to-Text	Generate text descriptions of videos	Yes	High (>100s)	LLM Multimodal	GPU	CPU?	50?
Text-to-Image	Generate images from text descriptions	Yes	High (>100s)	LLM Multimodal	GPU	CPU?	50?
Text-to-Video	Generate videos from text descriptions	Yes	High (>100s)	LLM Multimodal	GPU	CPU?	50?

Figure 7: Example AI Decision Matrix

As Deloitte and Intel continue to test, we hope to incorporate bigger and more complex use cases on CPU architecture.



### ENABLING GENALAT SCALE

Scaling GenAl in government is challenging, despite strong interest and demand<sup>2</sup> —often higher than in the commercial sector<sup>3</sup>. Many government employees lack of access to GenAl tools: a Deloitte survey found 75% of government respondents reported that less than two out of five workers have access. The Phase 2 results show that running LLMs on CPUs can make GenAl more accessible to organizations of all sizes and open up more use cases.

Government teams, such as defense, intelligence, and law enforcement, are often small due to security needs. These small- and medium-sized teams can benefit from SLMs and compressed LLMs running on their existing CPU-based virtual servers.

#### KEY BENEFITS OF CPU-BASED GENAL

#### Increase use case feasibility

- •Running GenAl models on CPUs quickly and efficiently extends the scope of Al use cases across industries.
- •CPUs effectively support LLMs and SLMs for training, testing, and inference, which increases use cases and removes barriers related to GPU costs and availability.
- •CPUs allow secure, local data processing in edge environments, such as remote healthcare diagnostics or smart manufacturing, where latency and data privacy are critical.
- •Organizations can optimize workflows and scale AI pipelines for continuous model improvement.
- •CPUs are widely available and don't require specialized hardware and expertise, which simplifies and accelerates adoption for organizations with limited resources.

#### **Open-source framework**

- •Publicly available language models and Intel's OpenVINO model server enable organizations to configure their GenAl stack on CPU architecture.
- •Teams can fully customize their language model and infrastructure based on use case.
- •Open-source framework means organization owns and governs data—no uploading to a cloud or public infrastructure.
- •No recurring subscription or licensing costs to run language models on local CPUs.

#### **Decrease costs, optimizes TCO**

- Model compression enhances the feasibility of running GenAl models on lower-cost architectures using CPUs, ensuring competitive performance while reducing computational overhead.
- •Reduced complexity enables organizations transitioning to GenAl to deploy Al solutions with existing IT infrastructure.
- •CPUs eliminate the need for costly GPU instance usage, infrastructure overhauls, and specialized IT support—so industries with legacy systems can embrace GenAl.
- •Inclusive AI adoption accelerates innovation across sectors that couldn't previously invest in advanced technology.

#### Secure on-premises AI operations

- •Running AI on CPUs lets organizations keep data secure on their own servers or private clouds, helping protect sensitive information and meet regulatory requirements.
- •CPU-based GenAl supports customized security protocols tailored to specific use cases, protecting Al deployments from vulnerabilities.
- •Smaller teams can run curated SLMs in their own environments, enhancing data security.
- •Adaptability builds trust in Al systems, promoting greater adoption in sectors like defense, healthcare, finance, and public administration.
- •By balancing scalability, security, and flexibility, CPUs provide a robust foundation for confidently adopting GenAl, even in high-risk environments.

#### **Agentic AI deployment**

- •CPU-based AI supports the development of agentic AI—systems capable of reasoning, planning, and decision-making.
- ·Connecting enterprise data to AI models on CPUs unlocks advanced AI-driven automation and innovation.
- •CPUs act as the operations workhorse, while agentic Al leverages these capabilities to perform complex tasks autonomously.
- ·Agentic Al is in high demand for many organizations.

<sup>&</sup>lt;sup>2</sup> Deloitte. (2023). Government faces challenges with generative Al adoption. Deloitte Insights. Retrieved from https://www2.deloitte.com/us/en/insights/industry/public-sector/government-faces-challenges-with-generative-ai-adoption.html?id=us:2sm:3ab:4diUS187755:5awa:6di:102424&pkid=1012823

 $<sup>^3</sup>$  77% of employees and 96% of technical leaders are eager to use GenAl compared to commercial's 39% and 85%

## **CONCLUSION**

GenAl is revolutionizing industries and reshaping how work gets done. For government, the democratization of GenAl is more achievable than ever, thanks to the ability to run advanced models on existing CPU infrastructure.

Deloitte and Intel empower organizations to deploy highly accurate yet efficient models without complex hardware, allowing public and private sector organizations to maximize GenAl value. We also developed strategic decision-making frameworks that help government agencies and other clients allocate resources effectively, balancing performance requirements and budget constraints while achieving desired outcomes.

By bringing together Deloitte's deep industry leadership with global technology leaders such as Intel and AWS, we make it easier to leverage the cutting-edge technologies of today to build solutions for tomorrow.



Key points of contact for any questions regarding the content of this paper.

#### **Doug Bourgeois**

Managing Director
Deloitte Consulting LLP
GPS Engineering-as-a-Service

Thomas Henry
Principal

Deloitte Consulting LLP GPS Engineering-as-a-Service

**Robert Simmons**Specialist Leader
Deloitte Consulting LLP

**GPS AI & Data** 

GPS AI & Data

**Arthi Subramanian**Specialist Master

**Deloitte Consulting LLP** 

Saaket Varma

Specialist Senior
Deloitte Consulting LLP

GPS AI & Data

**Matt Sheerin** 

Consultant

**Deloitte Consulting LLP** 

**GPS Hybrid Cloud Infrastructure** 

This publication contains general information only and Deloitte is not, by means of this publication, rendering accounting, business, financial, investment, legal, tax, or other professional advice or services. This publication is not a substitute for such professional advice or services, nor should it be used as a basis for any decision or action that may affect your business. Before making any decision or taking any action that may affect your business, you should consult a qualified professional advisor. Deloitte shall not be responsible for any loss sustained by any person who relies on this publication.

As used in this publication, "Deloitte" means Deloitte Consulting LLP, a subsidiary of Deloitte LLP. Please see www.deloitte.com/us/about for a detailed description of our legal structure. Certain services may not be available to attest clients under the rules and regulations of public accounting.

Copyright © 2025 Deloitte Development LLC. All rights reserved.